

# Chisel / Soil Saver™ Style Coultter Blades

Coultters to fit most Coultter Chisel units such as Glencoe, Landoll, Brillion, Sunflower, and many others. Made of high boron steel for greater wear life. These have proven to be among the highest quality blades we have ever offered. Same warranty as OEM suppliers.



## Flat Plain Edge Blades

Please note that all blades listed as 1/4" will measure .236".

ORDER NO.	DIA.	THICK	SHAFT	FITS	WT.	STOCK	RETAIL
WP1807112G	18"	7 ga.	1 1/2" Rd.	Glencoe, Landoll, and others.	12	37322	\$33.90
WP1807112S	18"	7 ga.	1 1/2" Sq.	Brillion.	12	37327	\$33.90
WP20197G	20"	6 ga.	1 1/2" Rd.	Glencoe, Landoll, and others.	17	59626	\$38.50
WP2014G	20"	1/4"	1 1/2" Rd.	Glencoe, Landoll, and others.	20	46131	\$45.20
WP20197GB	20"	6 ga.	1 1/2" Sq.	Brillion.	17	59626	\$38.50
WP20197GAC	20"	6 ga.	1 1/8 x 1 1/4 Sq.	Duetz-Allis, Case-IH, Deere, others.	17	59626	\$38.50
WP20197SUN	20"	6 ga.	1 3/4" Rd.	Sunflower.	17	59626	\$38.50
WP2014SUN	20"	1/4"	1 3/4" Rd.	Sunflower.	20	46131	\$45.20
WP2014GAC	20"	1/4"	1 1/8 x 1 1/4 Sq.	Duetz-Allis, Case-IH, Deere, others.	20	46131	\$45.20
WP2214G	22"	1/4"	1 1/2" Rd.	Glencoe, Landoll, and others.	26	31931	\$55.90
WP2214D	22"	1/4"	1 1/8 x 1 1/4 Sq.	Duetz-Allis, Case-IH, Deere, others.	26	31931	\$55.90
P20197MLOL	20"	6 ga.	fits 4 bolt.	DMI, Blue Jet, Yetter, and others.	17	57926	\$42.50
P2214MLOL	22"	1/4"	fits 4 bolt.	DMI, Blue Jet, Yetter, and others.	24	27141	\$59.60
P2414MLOL	24"	1/4"	fits 4 bolt.	DMI, Blue Jet, Yetter, and others.	30	59744	\$68.50
P20197	20"	6 ga.	Specify Hole size	Pilot blade, cut to fit.	17	59626	\$38.50
P2014P	20"	1/4"	Specify Hole size	Pilot blade, cut to fit.	20	46131	\$45.20
WP2514	25"	1/4"	Specify Hole size	Pilot blade, cut to fit.	27	01448	\$63.00

## Flat Notched Edge Blades

ORDER NO.	DIA.	THICK	SHAFT	FITS	WT.	STOCK	RETAIL
WN22197G (Notched)	22"	1/4"	1 1/2" Rd.	Glencoe, Landoll, and others.	22	48246	\$61.20

## Concave Plain Edge Blades


ORDER NO.	DIA.	THICK	SHAFT	FITS	WT.	STOCK	RETAIL
P20197DMI	20"	1/4"	5 bolt.	Sunflower/DMI. (Concave)	20	20436	\$48.60
P2214DMI	22"	1/4"	5 bolt.	Sunflower/DMI. (Concave)	24	67938	\$56.80
W2014134R	20"	1/4"	1 3/4" Rd.	Sunflower DBC. <b>1.3" Concavity.</b>	23	30734	\$52.90
PD2414512	24"	1/4"	1 1/8 x 1 1/4 Sq.	John Deere 512 ripper, <b>2.3" Concavity.</b> Replaces JD no. N242322.	30	04345	\$62.00

METRIC	NEAREST GAUGE	INCHES
3 mm	11 ga.	0.118"
3.5 mm	9 ga.	0.138"
4 mm	8 ga.	0.157"
4.5 mm	7 ga.	0.177"
5 mm	6 ga.	0.197"
6 mm	5 ga.	0.236"

# Helpful Blade Applications

MAKE AND MODEL	DIAMETER	POSSIBLE BLADE APPLICATION	SHAFT SIZE	
John Deere 510 Ripper	24"	P2414	1-1/8" Sq	
	20"	P203161118, P2014, or P20071118	1-1/8" Sq	
John Deere 512 Ripper	24"	PD2414512	1-1/4" Sq	
John Deere 2700	22"	P22141814	1-1/4" Sq	
Brent CPC	24"	P2414	1-3/4" Rd	
	26"	P2656	1-3/4" Rd	
Brillion Land Commander	20"	P2007112S	1-1/2" Sq	
	22"	P2214112S	1-1/2" Sq	
Glencoe Yield Builder	20"	WP20197G	1-1/2" Rd	
Landoll Weatherproofer	22"	P2214112R	1-1/2" Rd	
M & W Earthmaster	20"	P20316112S	1-1/2" Sq	
	Model 4411	20"	P20197DMI	5 bolt
		22"	P2214112S	1-1/2" Sq
Model 4411	22"	P2214DMI	5 bolt	
Model 4411	22"	P2214134R (Rear Axle)	1-3/4" Rd	

# Soil Saver™ Style Replacement Parts



ORDER NO.	DESCRIPTION	STOCK	RETAIL
WCPPL	Plain point - Left.	80218	\$17.25
WCPPR	Plain point - Right.	80217	\$17.25
WCPPLHS	Hardfaced point - Left.	84818	\$26.40
WCPPRHS	Hardfaced point - Right.	84817	\$26.40
WCPML	Plain moldboard - Left.	05712	\$25.00
WCPMR	Plain moldboard - Right.	05712	\$25.00
WCPMLHS	Hardfaced moldboard - Left.	39436	\$49.90
WCPMRHS	Hardfaced moldboard - Right.	39435	\$49.90
WCPFL	Frog assembly - Left.	38315	\$19.75
WCPFR	Frog assembly - Right.	38315	\$19.75

Hardware not included with parts.

## Straight Chisel Spikes

Spikes made of high carbon steel, drop forged, heat treated and oil quenched for long, break resistant wear life. The "S" series spikes feature a "crowned" point that requires less draft, penetrate easily and most importantly, wear sharp and guaranteed against breakage.

ORDER NO.	WIESE NO.	HOLE	BOLT SPACING	WT.	STOCK	RETAIL
WSD225	SD225	1/2" Hex	2.25" to 2.5"	7.6	99719	\$25.70
WSD23	SD235	1/2" Hex	2.25" to 2.5"	12	82824	\$40.40
WR2585	R258-5	1/2" Plow	2.25"	5	04510	\$22.00
W47345	Shield C34	1/2" Plow	2.25" to 2.5"	6	61025	\$28.80
C34-SP	Shield C34-SP	1/2" Plow	2.25" to 2.5"	7.4	18628	\$38.30
CPHS	Charge to add Hardface to WSD225, WSD23, and WR2585				08219	\$16.00
CFWING	This order number will add 9.5" wings and hardface to a chisel spike. (WSD225 or WSD23 only). Comes with bolts installed.				02532	\$44.00
CWP218P	Shank protector for chisel plows, 2" wide x 18" long. Made of White UHMW polymer.				5718	\$2.50

*New & Improved!*



WSD23 with CFWING option

W47345

WR2585

WSD225


- WSD225:** This is our most popular chisel spike. Good penetration and wear. Measures 2" wide by 19 1/2" long.
- WSD23:** Very similar to the WSD225 only measures 2 1/2" wide by 20" long.
- WR2585:** Flat chisel spike. Drop forged and heat treated. Measures 2" wide by 15-3/4" long.
- W47345:** *This is our best wearing chisel point.* For years we have sold the WSD23 as our "best" wearing chisel but now we have the improved W47345 that out wears the WSD23. Made by Shield Ag in Kansas (C34). By adding Nickel to the chrome cap, it is simply the toughest chisel point available.
- C34-SP:** This is similar to the W47345 except the Chrome casting on the end is much longer for even better wear.



CWP218P

## Twisted Chisel Points

Wiese twisted chisels wear sharp, resist breaking, and penetrate the hardest soil conditions. Available in 3" or 4" widths with 1/2" punched holes. Use special reducer head bolt to allow inventory of 1/2" punched chisels to fit 7/16" punched shanks.



*All Twisted chisels have a 2-1/4" hole spacing.*

### 3" Wide Twisted Chisels

ORDER NO.	POINT	BOLT	DIMENSIONS		WT.	STOCK	RETAIL
WR123R	"V"	1/2" Plow	1/2" thick x 23" long	RH	8.5	53418	\$20.50
WR123L	"V"	1/2" Plow	1/2" thick x 23" long	LH	8.5	53417	\$20.50
WCC123R	Slash	1/2" Plow	1/2" thick x 23" long	RH	8.8	53411	\$20.50
WCC123L	Slash	1/2" Plow	1/2" thick x 23" long	LH	8.8	53419	\$20.50
CPHS	Charge to add Hardface to WR123 and WCC123 chisels.					08219	\$16.00

### 4" Wide Twisted Chisels

ORDER NO.	POINT	BOLT	DIMENSIONS		WT.	STOCK	RETAIL
WCC124R	Slash	1/2" Plow	1/2" thick x 26" long	RH	12.4	51719	\$24.50
WCC124L	Slash	1/2" Plow	1/2" thick x 26" long	LH	12.4	51714	\$24.50
CPHS2	Charge to add Hardface to WCC124 chisels.					08022	\$26.00

\* When ordering hardfaced chisels please specify location of hardface. Our standard location is the back side of the chisel. We will hardface on the front side upon request.

## Hardware for Chisel Points

ORDER NO.	PKG QTY	BOLT STYLE	SIZE	FIT SERIES	STOCK	RETAIL
KH12214	25	Hex	1/2" x 2 1/4"	WSD	82016	\$14.69
KH12234	25	Hex	1/2 x 2 3/4"	WSD	52212	\$17.50
KH12212	25	Hex	1/2" x 2 1/2"	WSD	53118	\$16.22
KH122128	25	Hex	1/2" x 2 1/2" Gr 8	WSD	58215	\$18.36
KIPB12214	50	Plow	1/2" x 2 1/4"	All but WSD	59625	\$38.50
KIPB12212	50	Plow	1/2" x 2 1/2"	All but WSD	03724	\$39.00
KIPB122128	50	Plow	1/2" x 2-1/2" Grade 8	All but WSD	03435	\$49.00
KIPB12234	50	Plow	1/2" x 2 3/4"	All but WSD	01333	\$47.29

For a complete listing of plow bolts see "Packaged Plow Bolts with Whiz Nuts" on page 195

# Chisel Plow Sweeps

## WHC Series

Boron steel, 50 degree stem angle.  
1/2" holes on 2 1/4" centers.



ORDER NO.	DESCRIPTION	STOCK	RETAIL
WHC85	Chisel plow sweep, 8" x 1/4" thick.	34015	\$14.90
WHC105	Chisel plow sweep, 10" x 1/4" thick.	38115	\$16.90
WHC125	Chisel plow sweep, 12" x 1/4" thick.	79315	\$19.95
WHC145	Chisel plow sweep, 14" x 1/4" thick.	79317	\$19.95
WHC165	Chisel plow sweep, 16" x 1/4" thick.	79318	\$19.95
WHC16C5	Chisel plow sweep, 16" x 5/16" thick.	33516	\$21.90
WHC185	Chisel plow sweep, 18" x 5/16" thick.	39723	\$39.90
WHC205	Chisel plow sweep, 20" x 5/16" thick.	39723	\$39.90
WHC245	Chisel plow sweep, 24" x 5/16" thick.	39723	\$39.90

## McKay Penetrator Chisel Plow Sweeps




ORDER NO.	DESCRIPTION	STOCK	RETAIL
P4316K	Chisel plow sweep, 16" x 1/4" x 43 degree.	64218	\$17.80
P5016K	Chisel plow sweep, 16" x 1/4" x 50 degree.	64219	\$17.80
P4314-5K	Chisel plow sweep, 14" x 5/16" x 43 degree.	53411	\$20.50

## Shank Protector for Chisel Plows

ORDER NO.	DESCRIPTION	STOCK	RETAIL
CWP218P	Chisel plow shank protector, 2" wide x 18" long.	5718	\$2.50

## 3 Piece Chisel Plow Sweep

- \* Leaves more trash on surface to control erosion.
- \* Cuts all underground roots.
- \* Leaves fewer ridges than coulter-chisels.
- \* Point runs deeper than wings for "two level" tillage.
- \* Comes standard with UHMW poly shank protector.
- \* All points come with hardsurface applied.



ORDER NO.	DESCRIPTION	WT.	STOCK	RETAIL
KCF16	Sweep kit complete, 16". Includes hardware.	16	39676	\$109.90

## Replacement Parts for 3 Piece Chisel Plow Sweep

ORDER NO.	DESCRIPTION	WT.	STOCK	RETAIL
KCFHDWE	Universal hardware package.	1	5429	\$3.50
CFP	Point for 3 piece chisel assembly - hardfaced.	2	39318	\$19.90
CFF	Frog assembly.	6	36127	\$30.90
CWP218P	Shank Protector for chisel plows, 2" x 18".	1	5715	\$2.50
CFWL16	Wing, 16" left hand.	4	39026	\$29.90
CFWR16	Wing, 16" right hand.	4	39025	\$29.90